



THIRD ANGLE PROJECTION


 GLASS

 PANEL



NOT TO SCALE. PLEASE CONTACT VIVID LIFTS LTD FOR MORE INFORMATION

NOTES

- 1 -- TO PROVIDE A SMOOTH TRANSITION BETWEEN FLOOR AND PLATFORM LEVELS, AN 85mm DEEP PIT SHALL BE REQUIRED. IF A PIT IS NOT AVAILABLE AN 85mm HIGH RAMP MAY BE PROVIDED.
- 2 -- THE MAXIMUM HEADROOM REQUIRED IS A FUNCTION OF THE BASIC FLOOR TO FLOOR DIMENSION.
- 3 -- THE APERTURE THROUGH THE FLOOR (IF APPLICABLE) SHALL BE IDENTICAL SIZE TO PIT DIMENSIONS AND SHALL BE DIRECTLY ALIGNED.
- 4 -- THE DOOR ENTRY / EXIT POINTS MAY BE AMENDED TO EITHER A SAME SIDE OR ADJACENT ENTRY LAYOUT
- 5 -- THIS DATA SHEET IS INTENDED FOR INFORMATION PURPOSES ONLY. WE RESERVE THE RIGHT TO AMEND ANY DESIGN ASPECTS WITHOUT PRIOR NOTICE.



IF AVAILABLE THE PIT AND APERTURE THROUGH THE UPPER FLOOR SHOULD BE FORMED AS PER THE ABOVE DRAWING. WHEN THE LIFT ENCLOSURE IS LOCATED, THE CEILING APERTURE ABOVE MUST BE DIRECTLY ALIGNED.



D	29.7.19	NOTES 2 & 5 AMENDED	
C	25.8.19	DOOR STYLE AMENDED	
B	24.2.19	INFORMATION FORMALISED	
A	23.1.19	NEW DRAWING	
Iss	Date	Revision note	
Date	Checked by		Date
Filename - 0230.70001D		Scale - NTS	Designed by - PD
Title VA600 PLATFORM LIFT LARGE PLATFORM WITH MANUAL DOORS (7mtr MAX TRAVEL)			
Dwg No 0230.70001			Issue D