THIRD ANGLE PROJECTION | GLASS | PANEL

NOT TO SCALE. PLEASE CONTACT VIVID LIFTS LTD FOR MORE INFORMATION



TYPICAL PIT ARRANGEMENT





FRONT ELEVATION



SIDE ELEVATION



REAR ELEVATION

NOTES

1 – TO PROVIDE A SMOOTH TRANSITION BETWEEN FLOOR AND PLATFORM LEVELS, AN 85mm DEEP PIT SHALL BE REQUIRED. IF A PIT IS NOT AVAILABLE AN 85mm HIGH RAMP MAY BE PROVIDED.

2 – THE MAXIMUM HEADROOM REQUIRED IS A FUNCTION OF THE BASIC FLOOR TO FLOOR DIMENSION.

3 – THE APERTURE THROUGH THE FLOOR (IF APPLICABLE) SHALL BE IDENTICAL SIZE TO PIT DIMENSIONS AND SHALL BE DIRECTLY ALIGNED.

4 – THE DOOR ENTRY / EXIT POINTS MAY BE AMENDED TO EITHER A SAME SIDE OR ADJACENT ENTRY LAYOUT

5 – THIS DATA SHEET IS INTENDED FOR INFORMATION PURPOSES ONLY. WE RESERVE THE RIGHT TO AMEND ANY DESIGN ASPECTS WITHOUT PRIOR NOTICE.

Iss	Date	Revision note
E	30.11.19	NOTES 2 & 5 AMENDED
D	5.8.19	FLOOR PIT SIZE AMENDED
C	25.6.19	DOOR STYLE AMENDED
B	24.6.19	INFORMATION FORMALISED
A	23.3.19	NEW DRAWING

Date	Checked by	Date

Filename - 0230.70004E	Scale - NTS	Designed by - PD

Title

VA600 PLATFORM LIFT LARGE PLATFORM WITH MANUAL DOOR AND GATE (3mtr MAX TRAVEL)

INTERNAL, EXTERNAL & MARINE OPTIONS

Dwg No	Issue
0230.70004	E